

COVID-19 Health Screening Checklist for CHILDREN

Person conducting screening should maintain 6 feet of distance from child while asking questions. Questions should be posed to parents of small children; children old enough to understand and answer for themselves may be asked directly. Tool intended to assist programs to screen for COVID-19, but should not replace other communicable disease screening tools or protocols for school programs.

Part 1

	YES	NO
Has your child been in close contact with anyone who tested positive for COVID-19 or was diagnosed with COVID-19 in last 14 days?	<input type="checkbox"/>	<input type="checkbox"/>
Has your child been diagnosed with COVID-19 by a health care provider in the last 10 days?	<input type="checkbox"/>	<input type="checkbox"/>
Has your child developed any of the following symptoms within the past 24 hours?		
➤ Cough	<input type="checkbox"/>	<input type="checkbox"/>
➤ Shortness of breath/trouble breathing	<input type="checkbox"/>	<input type="checkbox"/>
➤ New loss or sense of taste or smell	<input type="checkbox"/>	<input type="checkbox"/>
➤ Has your child taken medication in past 24 hours to lower temperature (Tylenol, ibuprofen)?	<input type="checkbox"/>	<input type="checkbox"/>



If YES to any question in Part 1, the child should be sent home.
If NO to all questions in Part 1, proceed to Part 2.

Part 2

Has your child developed any of the following symptoms within the last 24 hours?

	YES	NO		YES	NO
Sore throat	<input type="checkbox"/>	<input type="checkbox"/>	Headache	<input type="checkbox"/>	<input type="checkbox"/>
Unusual fatigue	<input type="checkbox"/>	<input type="checkbox"/>	Muscle or body aches	<input type="checkbox"/>	<input type="checkbox"/>
Nausea (<i>sick to stomach</i>) or vomiting▲	<input type="checkbox"/>	<input type="checkbox"/>	Fever ($\geq 100.4^{\circ}\text{F}$) or chills (<i>would indicate fever</i>) ▲	<input type="checkbox"/>	<input type="checkbox"/>
Runny nose or nasal congestion	<input type="checkbox"/>	<input type="checkbox"/>	Diarrhea▲	<input type="checkbox"/>	<input type="checkbox"/>



If YES to 2 or MORE questions in Part 2, child should be sent home.

If YES to 0 or 1 question(s) in Part 2, child may remain at facility.

Child to be sent home

- Record child's name, symptoms, and the date symptoms started in your illness log/line list.
- Child should be **immediately sent home** to isolate and should be tested for COVID-19.

Child may remain at facility

Child should wash (or sanitize) hands before having contact with other children or staff.

▲Vomiting, diarrhea, and fever—alone or together—should exclude a child from school.

COVID-19 Health Screening FAQ and At-Home COVID-19 Health Screening Instructions for Parents and Guardians

This handout provides information to parents/guardians on how to conduct a “pre-screen” of your child at home before heading out the door. Screening children for symptoms of COVID-19 and sending home people who are sick lowers the chances of other children and staff in the school from getting COVID-19 and spreading it. We want to provide your child with the safest possible environment, and we appreciate your help in making it safe.

We are asking parents/guardians to do an at-home health screening of their child each morning prior to going to school, including taking their temperature, if possible. *You know best when your child is sick or is getting sick.* If your child is showing symptoms or seems “off,” you should keep them home from school. Keeping ill children home helps prevent others from getting sick.

Go through the steps outlined here to decide if your child should go to school each day.

STEP 1: SCREENING QUESTIONS

- Has your child tested positive for or been diagnosed with COVID-19 by a health care provider in the last 10 days?
- Is your child not fully vaccinated and been in close contact* with anyone who tested positive for COVID-19 or was diagnosed with COVID-19 in last 14 days? (*Find more information about what “close contact” means on the next page*)



If answered YES to any of these questions, child should NOT attend school.

STEP 2: SYMPTOM CHECK (Part 1)

In the past 24 hours, has your child had any of these symptoms, new or different from what they usually have*?

- Cough
- Shortness of breath/trouble breathing
- New loss of sense of taste or smell

* *Find more information about what “new and different from what they usually have” means on the next page.*



If child has 1 or more of these symptoms, child should NOT attend school.

STEP 3: SYMPTOM CHECK (Part 2)

Measure your child’s temperature with a thermometer, then answer the following question: In the past 24 hours, has your child had any of these symptoms, new or different from what they usually have*?

- Sore throat
- Unusual fatigue (*being very tired*)
- Nausea (*sick to stomach*) or vomiting[▲]
- Muscle or body aches
- Fever ($\geq 100.4^{\circ}\text{F}$) or chills (*would indicate fever*) or used fever reducing medications[▲]
- Runny nose or nasal congestion
- Headache
- Diarrhea[▲]

[▲] *Children with fever, vomiting, and diarrhea—alone or together—should never attend school. However, they do not necessarily indicate the need to test for COVID-19.*



If child has 2 or more of these symptoms, child should NOT attend school.



WHAT DOES “CLOSE CONTACT” MEAN?

A person is considered to be in close contact of a COVID-19 positive person if **any** of following is true:

- 1) They were within 6 feet of a positive person for more than 15 minutes total within a 24-hour period
- 2) They had physical contact with the person
- 3) They had direct contact with the respiratory secretions of the person (i.e., from coughing, sneezing, contact with dirty tissue, shared drinking glass, food, towels or other personal items)
- 4) They live with the person or stayed overnight for at least one night in a household with the person

Example #1: Your child was playing outside with a neighborhood friend on a hot day when he drank from the friend’s water bottle without thinking. The following day, the friend developed symptoms and subsequently tested positive for COVID-19. Your child is a close contact.

Example #2: Your child was visiting a grandparent and gave them a hug goodbye. Two days later, the grandparent tested positive for COVID-19 after developing symptoms. Your child is a close contact.



WHAT DOES “NEW AND DIFFERENT” MEAN?

When considering a child’s symptoms, ask yourself if they are “new and different” from how your child usually is, taking into account any “symptoms” your child normally has every day. If your child has a symptom they don’t normally have, ask yourself if there is an explanation for that symptom that day or not. If not, this would be a reason not to send them to child care. Trust your judgement, as you know how your child looks and acts when they are getting sick. Here are some examples:

- 1) Your child has asthma. They often cough with exercise or allergies.
 - If they have their usual cough → NO, this is not new or different
 - Their cough is worse than usual or sounds different than usual → **YES**
- 2) Your child complains that their muscles hurt all over.
 - They exercised harder yesterday and then helped with some yard work → NO, this is not new or different
 - They haven’t done any unusual physical activity and they look “off” → **YES**
- 3) Your child wakes up congested and has had to blow their nose several times that morning
 - Your child has seasonal allergies, and an allergy pill helped those symptoms yesterday → NO
 - Your child is congested for no clear reason and also has a headache → **YES**



IF YOUR CHILD HAS SYMPTOMS OF COVID-19

- 1) Your child cannot attend school that day. Your child should stay home until he/she feels better and meets the conditions to return to school.
- 2) Contact your child’s regular health care provider or clinic, tell them your child’s symptoms, and ask what your next steps should be. They may recommend that your child is tested for COVID-19 or you can ask that they be tested for COVID-19. Your child can be tested at a nearby community testing site. For a list, visit: www.dhs.wisconsin.gov/covid-19/community-testing.htm. (Keep in mind that some community testing sites will not test children under a certain age. Call ahead to be sure.)
- 3) Contact the school to notify them of the child’s absence. Share with them your child’s symptoms and date they started; this information will be helpful if your child (or any other children) tests positive for COVID-19.